


ISOMETRIC



WARNING

TANK NOTES

1. Access at or above grade level must be secured against unauthorized access.
2. Tank is not rated for vehicular traffic loading.
3. All resin used is compliant with ASTM D 1248 as required by CSA B66 and IAPMO / ANSI Z1000-2007.
4. Tank material of construction is HMW-HDPE.
5. Primary dimensions are in inches
6. Minimum tank wall thickness is 1/4".
7. Labeling will include: manufacturer name, liquid capacity, date, maximum burial depth, and model number.
8. Riser cover contains the following: 6" x 3" warning:
"Danger - Do not enter - Poison Gas" - written in English, French & Spanish.
9. Maximum burial depth from manufacturer is 36" unless specifically instructed otherwise by the factory.
10. Models RMT-750, RMT-1060, RMT-1250 and RMT-1500 are all certified to CSA and IAPMO standards.
11. Models RMT-500, RMT-900 and RMT-1000E are compliant with CSA and IAPMO standards.

NOTES

DWG SCALE: 1:1

PLOT SCALE: 1:2

SHEET #:
3 OF 3

ROTH Multitank®


1000 GALLON / MODEL RMT-1000E

ROTH

YOUR ENVIRONMENT IS OUR BUSINESS.

ROTH GLOBAL PLASTICS
One General Motors Dr
Syracuse N.Y. 132
Call Toll Free 866.943.72
www.rthpl.com


ELEVATION



40" LIQUID LEVEL



HORIZONTAL STRUCTURAL REINFORCING
RIBS (FULL CIRCUMFERENCE)



SECTION

DWG SCALE: 1:1

PLOT SCALE: 1:2

SHEET #:
2 OF 3

ROTH Multitank®

1000 GALLON / MODEL RMT-1000E




YOUR ENVIRONMENT IS OUR BUSINESS.

ROTH GLOBAL PLASTI
One General Motors Dr
Syracuse N.Y. 132
Call Toll Free 866.943.72
www.rthloj

HORIZONTAL STRUCTURAL REINFORCING RIBS
(FULL CIRCUMFERENCE)


GAS (TOP) / LIQUID (BOTTOM)
PASS-THRU SLOT INSIDE TANK

TOP



TANK SPECIFICATIONS

DESIGN CAPACITY		TOTAL CAPACITY		WEIGHT
GALLONS	LITERS	GALLONS	LITERS	POUNDS
1000	3780	1147	4340	450



SIDE

DWG SCALE: 1:1

PLOT SCALE: 1:2


SHEET #:
1 OF 3

ROTH MultiTank®
1000 GALLON / MODEL RMT-1000E

ROTH
YOUR ENVIRONMENT IS OUR BUSINESS.

ROTH GLOBAL PLASTI
One General Motors Dr
Syracuse N.Y. 132
Call Toll Free 866.943.72
www.rthlo.

ISOMETRIC



WARNING

TANK NOTES

1. Access at or above grade level must be secured against unauthorized access.
2. Tank is not rated for vehicular traffic loading.
3. All resin used is compliant with ASTM D 1248 as required by CSA B66 and IAPMO / ANSI Z1000-2007.
4. Tank material of construction is HMW-HDPE.
5. Primary dimensions are in inches
6. Minimum tank wall thickness is 1/4".
7. Labeling will include: manufacturer name, liquid capacity, date, maximum burial depth, and model number.
8. Riser cover contains the following: 6" x 3" warning:
"Danger - Do not enter - Poison Gas" - written in English, French & Spanish.
9. Maximum burial depth from manufacturer is 48" unless specifically instructed otherwise by the factory.
10. Models RMT-750, RMT-1060, RMT-1250 and RMT-1500 are all certified to CSA and IAPMO standards.
11. Models RMT-500, RMT-900 and RMT-1000E are compliant with CSA and IAPMO standards.

NOTES


DWG SCALE: 1:1
PLOT SCALE: 1:2
SHEET #: 3 OF 3

ROTH Multitank®
500 GALLON / MODEL RMT-500




ROTH GLOBAL PLASTICS
One General Motors Drive
Syracuse N.Y. 13206
Call Toll Free 866.943.7256
www.RothInc.net

ELEVATION





40" LIQUID LEVEL

HORIZONTAL STRUCTURAL
REINFORCING RIBS



SECTION

TOP



TANK SPECIFICATIONS

DESIGN CAPACITY		TOTAL CAPACITY		WEIGHT
GALLONS	LITERS	GALLONS	LITERS	POUNDS
500	1893	525	1987	225

SIDE

DWG SCALE: 1:1
PLOT SCALE: 1:2
SHEET #: 1 OF 3

ROTH Multitank®
500 GALLON / MODEL RMT-500

ROTH
ROTH GLOBAL PLASTICS
One General Motors Drive
Syosset N.Y. 11326
Call Toll Free 866.943.7256
www.italo.net

YOUR ENVIRONMENT IS OUR BUSINESS.